

WiFi IP Cam

- Main Functions: Motion Detection; Infrared night vision; Photo/Video recording/Alarm push notification
- Power: 5V/2A (Micro USB)
- Image sensor: 1/4" Color CMOS Sensor
- Focal-Length: f2.7mm (Viewing Angle 100 Degree)
- Image Frame Rate: 25fps
- Resolution: 1280x720; 640x360
- TF Card Slot: Supports Max with 64GB Storage
- Wireless Type: 2.4GHz
- Protocol: IEEE 802.11 b/g/n
- Infrared Light: 8 IR LEDs, Night visibility up to 5-10 Meters
- Operating Temperature: 0°C~55°C
- Operating Humidity: 20%~85%
- Storage Temperature: 0°C~60°C
- Storage Humidity: 0%~90%
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Video Door Bell

- Apps for Android and IOS mobile phone. Push notification to smart phone
- Full duplex real time video and audio chat with visitors
- Rainproof design/Support AP mode connect/motion detection/support multiple users
- Audio: build-in 38dB microphone (Pickup distance 5M); Built-in speaker (8Ω/1W)
- Touch Key design
- Camera: 720P, 1MP
- View angle: 166° super width
- Built-in 8GB TF card for video recording
- Power & Endurance time:
 - 2 x 18650 Batteries, DC5V-1A
 - Batteries work regularly for 4-6 months
- Operating temperature: -10°C~40°C
- Doorbell size: 76W x 36D x 144Hmm
- Dindong: 433MHz wireless indoor bell is available
- Dindong Size: 105W x 72W x 190Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Zigbee Gateway

- Smart Zigbee Gateway through the Internet and allows you to control different Zigbee devices
- Power: 220V, 50Hz, 0.25A
- Wireless Type: 2.4GHz and control Zigbee devices
- Protocol: IEEE 802.1 1b/g/n
- Operating Temperature: -10°C~55°C
- Operating Humidity: 10%~90%
- Size: 142W x 142D x 32Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Zigbee Temperature and Humidity Sensor

- Detects the temperature, humidity and atmospheric pressure condition
- Must work with Gateway
- Battery: CR2032
- Standby time: 2 years
- Workless type: Zigbee
- Wireless Range: 45 meters
- Temperature detection range: -20°C~60°C
- Humidity detection range: 0%~100%
- Size: 36W x 36D x 9Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart WiFi Motion Sensor

- Motion detection, PIR detect people or animals that are moving
- Battery: AAA1.5V x 3
- Standby current: 20uA
- Standard Mode: 5 months (15 times/day)
- Sensitive distance: 5M
- Sensitive angle: 120°
- Workless type: 2.4GHz
- Protocol: IEEE 802.11 b/g/n
- Wireless Range: 45 meters
- Operating Temperature: 0°C~40°C
- Operating Humidity: 20%~85%
- Size: 65W x 65D x 30Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Zigbee Motion Sensor

- Motion detection, PIR detect people or animals that are moving
- Must work with Gateway
- Battery: CR2450
- Working life: 1 years (25times/day); 2 years(10 times/day)
- Sensitive distance: 5M
- Sensitive angle: 150°
- Workless type: Zigbee
- Wireless Range: 40 meters
- Operating Temperature: -10°C~45°C
- Operating Humidity: 10%~90%
- Size: 35W x 40D x 50Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant




Smart WiFi Door/Window Sensor

- Detect open/close status of the door/window
- Battery: CR2 x 1
- Standby current: 13uA
- Working life: 1 years (14times/day); 2 years(7 times/day)
- Workless type: 2.4GHz
- Protocol: IEEE 802.1 1b/g/n
- Wireless Range: 45 meters
- Operating Temperature: 0°C~40°C
- Operating Humidity: 20%~85%
- Main body Size: 71W x 21D x 22Hmm
- Deputy body size: 40W x 11D x 11Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant




Smart Zigbee Door/Window Sensor

- Detect open/close status of the door/window
- Must work with Gateway
- Battery: CR2032
- Standby current: 13uA
- Working life: 1 years (14times/day); 2 years(7 times/day)
- Workless type: Zigbee
- Wireless Range: 45 meters
- Operating Temperature: -10°C~45°C
- Operating Humidity: 10%~90%
- Main body Size: 60W x 25D x 15Hmm
- Deputy body size: 40W x 12D x 10Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Flooding Sensor

- Detect water leakage: App remote control: Push alarm to smartphone
- Battery: CR2 x 1
- Standby current: 13uA
- Standby time: 5 years
- Working time: 1 years (7 time/day); 2 years (3time/day)
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.1 1b/g/n
- Wireless Range: 45 meters
- Operating Temperature: 0°C ~ 40°C
- Operating Humidity: 20% ~ 85%
- Storage Temperature: 0°C ~ 60°C
- Storage Humidity: 0% ~ 90%
- Protection grade: IP67
- Size: 67 x 67 x 24mm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Zigbee Gas Detector

- Detect combustible natural gas once it exceed the concentration 6%LEL, send notification to smartphone
- Must work with Gateway
- Voltage: AC110V~240V
- Average Power Consumption: $\leq 2W$
- Sound Level: $\geq 75db$ (Within 1 meter)
- Alarm Density: $6\%LEL \pm 3\%LEL$ (Natural gas)
- Sensitive distance: 50SM
- Workless type: 2.4GHz
- Operating Temperature: $-10^{\circ}C \sim 55^{\circ}C$
- Operating Humidity: 10%~95%
- Size: 68W x 58D x 79Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Smart Zigbee Smoke Detector

- Detect smoke, issue alert, send notification to smartphone
- Must work with Gateway
- Battery: CR123A x 1
- Standby time: 10 years
- Sensitive distance: 50SM
- Workless type: Zigbee
- Wireless Range: 40 meters
- Operating Temperature: -10°C~50°C
- Operating Humidity: 0%~95%
- Size: 60W x 60D x 50Hmm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant

Work with Gateway

